

Literaturverzeichnis/ Quellen:

Adamczak A, Ożarowski M, Karpiński TM. Curcumin, a Natural Antimicrobial Agent with Strain-Specific Activity. *Pharmaceuticals (Basel)*. 2020;13(7):153. Published 2020 Jul 16.

Adappa ND, Truesdale CM, Workman AD, et al. Correlation of T2R38 taste phenotype and in vitro biofilm formation from nonpolypoid chronic rhinosinusitis patients. *Int Forum Allergy Rhinol*. 2016;6(8):783-791.

Alli-Oluwafuyi AM, Luis PB, Nakashima F, Giménez-Bastida JA, Presley SH, Duvernay MT, Iwalewa EO, Schneider C. Curcumin induces secretion of glucagon-like peptide-1 through an oxidation-dependent mechanism. *Biochimie*. 2019 Oct;165:250-257.

Alves-Santos, A.M. (2020) *Prebiotic effect of dietary polyphenols: A systematic review*, *Journal of Functional Foods*. Available at: <https://www.sciencedirect.com/science/article/pii/S1756464620303935> (Accessed: 28 August 2023).

Amiot MJ, Riva C, Vinet A. Effects of dietary polyphenols on metabolic syndrome features in humans: a systematic review. *Obes Rev*. 2016 Jul;17(7):573-86. Epub 2016 Apr 15.

Andreozzi, P. et al. (2015) *The bitter taste receptor agonist quinine reduces calorie intake and increases the postprandial release of cholecystokinin in healthy subjects*, *Journal of neurogastroenterology and motility*. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4622133/> (Accessed: 27 August 2023).

Aprotosoaie AC, Miron A, Trifan A, Luca VS, Costache II. The Cardiovascular Effects of Cocoa Polyphenols-An Overview. *Diseases*. 2016 Dec 17;4(4):39.

Barham, H.P. et al. (2021) 'Association between bitter taste receptor phenotype and clinical outcomes among patients with COVID-19', *JAMA Network Open*, 4(5).

Boddupalli S, Mein JR, Lakkanna S, James DR. Induction of phase 2 antioxidant enzymes by broccoli sulforaphane: perspectives in maintaining the antioxidant activity of vitamins a, C, and e. *Front Genet*. 2012;3:7. Published 2012 Jan 24.

Belzer, Clara & Chia, Loo Wee & Aalvink, Steven & Chamlagain, Bhawani & Piironen, Vieno & Knol, Jan & De Vos, Willem. (2017). Microbial Metabolic Networks at the Mucus Layer Lead to Diet-Independent Butyrate and Vitamin B 12 Production by Intestinal Symbionts. *mBio*. 8. e00770-17. 10.1128/mBio.00770-17.

Best R, McDonald K, Hurst P, Pickering C. Can taste be ergogenic? *Eur J Nutr*. 2021 Feb;60(1):45-54. doi: 10.1007/s00394-020-02274-5. Epub 2020 May 16. PMID: 32417948.

Camoretti-Mercado B, Lockey RF. Bitter taste receptors in the treatment of asthma: Opportunities and challenges. *J Allergy Clin Immunol*. 2020;146(4):776-779.

Cani PD, Knauf C. A newly identified protein from *Akkermansia muciniphila* stimulates GLP-1 secretion. *Cell Metab*. 2021;33(6):1073-1075.

Castro-Barquero S, Lamuela-Raventós RM, Doménech M, Estruch R. Relationship between Mediterranean Dietary Polyphenol Intake and Obesity. *Nutrients*. 2018 Oct 17;10(10):1523.
Chen H, Guo J, Pang B, Zhao L, Tong X. Application of Herbal Medicines with Bitter Flavor and Cold Property on Treating Diabetes Mellitus. *Evid Based Complement Alternat Med*. 2015;2015:529491.

Chou WL. Therapeutic potential of targeting intestinal bitter taste receptors in diabetes associated with dyslipidemia. *Pharmacol Res*. 2021;170:105693.

Chuengsamarn S, Rattanamongkolgul S, Luechapudiporn R, Phisalaphong C, Jirawatnotai S. Curcumin extract for prevention of type 2 diabetes. *Diabetes Care*. 2012 Nov;35(11):2121-7.

Curuțiu, C. et al. (2020) *Polyphenols of Honeybee origin with applications in Dental Medicine*, MDPI. Available at: <https://www.mdpi.com/2079-6382/9/12/856> (Accessed: 29 August 2023).

Danić, M. et al. (2018) 'Pharmacological applications of bile acids and their derivatives in the treatment of metabolic syndrome', *Frontiers in Pharmacology*, 9.

Deloose E, Corsetti M, Van Oudenhove L, Depoortere I, Tack J. Intra-gastric infusion of the bitter tastant quinine suppresses hormone release and antral motility during the fasting state in healthy female volunteers. *Neurogastroenterol Motil*. 2018 Jan;30(1).

Depoortere I. Taste receptors of the gut: emerging roles in health and disease. *Gut*. 2014;63(1):179-190. Deshpande DA, Wang WC, McIlmoyle EL, et al. Bitter taste receptors on airway smooth muscle bronchodilate by localized calcium signaling and reverse obstruction. *Nat Med*. 2010;16(11):1299-1304.

Devillier, P., Naline, E. and Grassin-Delyle, S. (2015) 'The pharmacology of bitter taste receptors and their role in human airways', *Pharmacology & Therapeutics*, 155, pp. 11–21.

Dotson CD, Zhang L, Xu H, et al. Bitter taste receptors influence glucose homeostasis. *PLoS One*. 2008;3(12):e3974.

Ehlert AM, Twiddy HM, Wilson PB. The Effects of Caffeine Mouth Rinsing on Exercise Performance: A Systematic Review. *Int J Sport Nutr Exerc Metab*. 2020 Jul 15;30(5):362-373. doi: 10.1123/ijsnem.2020-0083. Epub 2020 Jul 15.

Eisen, L. (2023) *Are you a supertaster? here's why you should know - and how to find out*, CBCnews. Available at: <https://www.cbc.ca/natureofthings/features/are-you-a-supertaster-heres-why-you-should-know-and-how-to-find-out> (Accessed: 23 August 2023).

Gam S, Guelfi KJ, Fournier PA. Mouth rinsing and ingesting a bitter solution improves sprint cycling performance. *Med Sci Sports Exerc*. 2014 Aug;46(8):1648-57.

Gam S, Guelfi KJ, Fournier PA. New Insights into Enhancing Maximal Exercise Performance Through the Use of a Bitter Tastant. *Sports Med*. 2016 Oct;46(10):1385-90.

Genetic Science Learning Center. (2016, March 1) PTC The Genetics of Bitter Taste. Retrieved August 15, 2023, from <https://learn.genetics.utah.edu/content/basics/ptc>

Gilca, Marilena & Dragos, Dorin. (2017). Extraoral Taste Receptor Discovery: New Light on Ayurvedic Pharmacology. *Evidence-Based Complementary and Alternative Medicine*. 2017. 1-30.

González-Castejón M, Rodríguez-Casado A. Dietary phytochemicals and their potential effects on obesity: a review. *Pharmacol Res*. 2011;64(5):438-455.

Grosso, G. et al. (2022) 'The effect of dietary polyphenols on Vascular Health and hypertension: Current evidence and mechanisms of action', *Nutrients*, 14(3), p. 545.

Guasch-Ferré, M. et al. (2017) 'Dietary polyphenols, Mediterranean diet, prediabetes, and type 2 diabetes: A narrative review of the evidence', *Oxidative Medicine and Cellular Longevity*, 2017, pp. 1–16.

Henn, V. (2022) *Das metabolische Syndrom – Bluthochdruck ist ein Risikofaktor*, *Das metabolische Syndrom – Bluthochdruck ist ein Risikofaktor | Blutdruck & Medizin*. Available at: https://www.blutdruck-mezizin.de/erkrankungen/metabolisches_syndrom.php (Accessed: 23 August 2023).

Iqbal I, Wilairatana P, Saqib F, Nasir B, Wahid M, Latif MF, Iqbal A, Naz R, Mubarak MS. Plant Polyphenols and Their Potential Benefits on Cardiovascular Health: A Review. *Molecules*. 2023 Sep 1;28(17):6403. Iven J, Biesiekierski JR, Zhao D, et al. Intra-gastric quinine administration decreases hedonic eating in healthy women through peptide-mediated gut-brain signaling mechanisms. *Nutr Neurosci*. 2019;22(12):850-862.

- Kok BP, Galmozzi A, Littlejohn NK, et al. Intestinal bitter taste receptor activation alters hormone secretion and imparts metabolic benefits. *Mol Metab.* 2018;16:76-87.
- Lee RJ, Cohen NA. Taste receptors in innate immunity. *Cellular and Molecular Life Sciences* : CMLS. 2015 Jan;72(2):217-236.
- Leri, Manuela & Scuto, & Ontario, Marialaura & Calabrese, & Bucciantini, Monica & Stefani, Massimo. (2020). Healthy Effects of Plant Polyphenols: Molecular Mechanisms. *International Journal of Molecular Sciences*. 21. 1250. 10.3390/ijms21041250.
- Li J, Yang G, Zhang Q, Liu Z, Jiang X, Xin Y. Function of *Akkermansia muciniphila* in type 2 diabetes and related diseases. *Front Microbiol.* 2023;14:1172400. Published 2023 Jun 15.
- Lim SS, Kim JR, Lim HA, et al. Induction of detoxifying enzyme by sesquiterpenes present in *Inula helenium* [published correction appears in *J Med Food*. 2007 Dec;10(4):739. Im, Sun Seong [corrected to Lim, Soon Sung]]. *J Med Food*. 2007;10(3):503-510. doi:10.1089/jmf.2006.209
- Liszt, K.I. et al. (2022) *Human intestinal bitter taste receptors regulate innate immune responses and metabolic regulators in obesity*, *The Journal of Clinical Investigation*. Available at: <https://www.jci.org/articles/view/144828> (Accessed: 28 August 2023).
- Maina, I.W., Workman, A.D. and Cohen, N.A. (2018) 'The role of bitter and sweet taste receptors in upper airway innate immunity: Recent advances and Future Directions', *World Journal of Otorhinolaryngology - Head and Neck Surgery*, 4(3), pp. 200–208.
- Maria (2021) *Visceral fat - why is visceral fat dangerous to you and 12 tips to get rid of it naturally*, *Ecosh*. Available at: <https://ecosh.com/visceral-fat-why-is-visceral-fat-dangerous-to-you-and-12-tips-to-get-rid-of-it-naturally> (Accessed: 23 August 2023).
- Marić G;Gazibara T;Zaletel I;Labudović Borović M;Tomanović N;Ćirić M;Puškaš N; (2023) *The role of gut hormones in Appetite Regulation (review)*, *Acta physiologica Hungarica*. Available at: <https://pubmed.ncbi.nlm.nih.gov/25532952/> (Accessed: 23 August 2023).
- Marton LT, Pescinini-E-Salzedas LM, Camargo MEC, Barbalho SM, Haber JFDS, Sinatora RV, Detregiachi CRP, Girio RJS, Buchaim DV, Cincotto Dos Santos Bueno P. The Effects of Curcumin on Diabetes Mellitus: A Systematic Review. *Front Endocrinol (Lausanne)*. 2021 May 3;12:669448.
- Molitor, Elena & Riedel, Katja & Hafner, Mathias & Rudolf, Rüdiger & Cesetti, Tiziana. (2020). Sensing Senses: Optical Biosensors to Study Gustation. *Sensors*. 20. 1811. 10.3390/s20071811.
- Naito Y, Uchiyama K, Takagi T. A next-generation beneficial microbe: *Akkermansia muciniphila*. *J Clin Biochem Nutr.* 2018 Jul;63(1):33-35. doi: 10.3164/jcbn.18-57. Epub 2018 Jun 20.
- Nazzaro, F., Fratianni, F. and Coppola, R. (2013) *Quorum sensing and Phytochemicals*, *International journal of molecular sciences*. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3709803/> (Accessed: 29 August 2023).
- Opara, E.I. and Chohan, M. (2014) *Culinary herbs and spices: Their bioactive properties, the contribution of polyphenols and the challenges in deducing their true health benefits*, *International journal of molecular sciences*. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4227268/> (Accessed: 29 August 2023).
- Paluch, Emil & Rewak-Soroczyńska, Justyna & Jędrusik, Izabela & Mazurkiewicz, Edyta & Jermakow, K.. (2020). Prevention of biofilm formation by quorum quenching. *Applied Microbiology and Biotechnology*. 104.
- Panahi, Y.; Hosseini, M.S.; Khalili, N.; Naimi, E.; Majeed, M.; Sahebkar, A. Antioxidant and anti-inflammatory effects of curcuminoid-piperine combination in subjects with metabolic syndrome: A randomized controlled trial and an updated meta- analysis. *Clin. Nutr.* 2015, 34, 1101–1108.
- Pickering C. Are caffeine's performance-enhancing effects partially driven by its bitter taste? *Med Hypotheses*. 2019 Oct;131:109301.

Rezaie, P. et al. (2021) 'Effects of bitter substances on GI function, energy intake and glycaemia-do preclinical findings translate to outcomes in humans?', *Nutrients*, 13(4), p. 1317.

Rodríguez-Daza MC, de Vos WM. Polyphenols as Drivers of a Homeostatic Gut Microecology and Immuno-Metabolic Traits of *Akkermansia muciniphila*: From Mouse to Man. *Int J Mol Sci*. 2022;24(1):45. Published 2022 Dec 20.

Salehi B, Ata A, V Anil Kumar N, Sharopov F, Ramírez-Alarcón K, Ruiz-Ortega A, Abdulmajid Ayatollahi S, Tsouh Fokou PV, Kobarfard F, Amiruddin Zakaria Z, Iriti M, Taheri Y, Martorell M, Sureda A, Setzer WN, Durazzo A, Lucarini M, Santini A, Capasso R, Ostrander EA; Atta-ur-Rahman; Choudhary MI, Cho WC, Sharifi-Rad J. Antidiabetic Potential of Medicinal Plants and Their Active Components. *Biomolecules*. 2019 Sep 30;9(10):551.

Sankari SL, Babu NA, Rani V, Priyadharsini C, Masthan KM. Flavonoids - Clinical effects and applications in dentistry: A review. *J Pharm Bioallied Sci*. 2014;6(Suppl 1):S26-S29.

Suchacki KJ, Stimson RH. Nutritional Regulation of Human Brown Adipose Tissue. *Nutrients*. 2021; 13(6):1748.

Simón J, Casado-Andrés M, Goikoetxea-Usandizaga N, Serrano-Maciá M, Martínez-Chantar ML. Nutraceutical Properties of Polyphenols against Liver Diseases. *Nutrients*. 2020;12(11):3517. Published 2020 Nov 15.

Soares S, Silva MS, García-Estevez I, et al. Human Bitter Taste Receptors Are Activated by Different Classes of Polyphenols. *J Agric Food Chem*. 2018;66(33):8814-8823.

Stuck, N. (2021) *Das Belohnungssystem im Gehirn - wie es auf uns wirkt*, *Cloudminded*. Available at: <https://cloud-minded.de/magazin/das-belohnungssystem-im-gehirn/> (Accessed: 23 August)

Tuzim K, Korolczuk A. An update on extra-oral bitter taste receptors [published correction appears in *J Transl Med*. 2021 Nov 26;19(1):478]. *J Transl Med*. 2021;19(1):440. Published 2021 Oct 21.

Utami AR, Maksum IP, Deawati Y. Berberine and Its Study as an Antidiabetic Compound. *Biology (Basel)*. 2023 Jul 8;12(7):973.

Vítek, L., & Haluzík, M. (2016). The role of bile acids in metabolic regulation. *Journal of Endocrinology*, 228(3), R85-R96. Retrieved Sep 10, 2023

Wang, Q., Liszt, K.I. and Depoortere, I. (2020) 'Extra-oral bitter taste receptors: New targets against obesity?', *Peptides*, 127, p. 170284.

Wang S, Du Q, Meng X, Zhang Y. Natural polyphenols: a potential prevention and treatment strategy for metabolic syndrome. *Food Funct*. 2022;13(19):9734-9753. Published 2022 Oct 3.

Wei Li, Haihong Chen, Bing Xu, Yi Wang, Canyang Zhang, Yong Cao, Xinhui Xing, Research progress on classification, sources and functions of dietary polyphenols for prevention and treatment of chronic diseases, *Journal of Future Foods*, Volume 3, Issue 4, 2023, Pages 289-305, ISSN 2772-5669

Wiciński M, Gębalski J, Mazurek E, Podhorecka M, Śniegocki M, Szychta P, Sawicka E, Malinowski B. The Influence of Polyphenol Compounds on Human Gastrointestinal Tract Microbiota. *Nutrients*. 2020 Jan 29;12(2):350.

Wood Dos Santos T, Cristina Pereira Q, Teixeira L, Gambero A, A Villena J, Lima Ribeiro M. Effects of Polyphenols on Thermogenesis and Mitochondrial Biogenesis. *Int J Mol Sci*. 2018;19(9):2757. Published 2018 Sep 13.

Wu JC, Lai CS, Tsai ML, Ho CT, Wang YJ, Pan MH. Chemopreventive effect of natural dietary compounds on xenobiotic-induced toxicity [published correction appears in *J Food Drug Anal*. 2018 Jan;26(1):444]. *J Food Drug Anal*. 2017;25(1):176-186.

Wu, H., Cui, Y., He, C. *et al.* Activation of the bitter taste sensor TRPM5 prevents high salt-induced cardiovascular dysfunction. *Sci. China Life Sci.* 63, 1665–1677 (2020).

Xie, C.; Jones, K.L.; Rayner, C.K.; Wu, T. Enteroendocrine Hormone Secretion and Metabolic Control: Importance of the Region of the Gut Stimulation. *Pharmaceutics* 2020, 12, 790.

Yamazaki T, Takahashi C, Taniguchi Y, Narukawa M, Misaka T, Ano Y. Bitter taste receptor activation by hop-derived bitter components induces gastrointestinal hormone production in enteroendocrine cells. *Biochem Biophys Res Commun.* 2020;533(4):704-709.

Yanagimoto A, Matsui Y, Yamaguchi T, Hibi M, Kobayashi S, Osaki N. Effects of Ingesting Both Catechins and Chlorogenic Acids on Glucose, Incretin, and Insulin Sensitivity in Healthy Men: A Randomized, Double-Blinded, Placebo-Controlled Crossover Trial. *Nutrients.* 2022 Nov 28;14(23):5063.

Zhang S, Xu M, Zhang W, Liu C, Chen S. Natural Polyphenols in Metabolic Syndrome: Protective Mechanisms and Clinical Applications. *Int J Mol Sci.* 2021 Jun 6;22(11):6110.

Bild-Verzeichnis/ Quellen:

Gray, 2006: https://commons.wikimedia.org/wiki/File:Animal_mitochondrion_diagram_fr.svg

Hellerhoff, 2011: <https://commons.wikimedia.org/wiki/File:Braunes-Fett-PET-18.jpg>

Henley, 2022: <https://creativecommons.org/licenses/by-nc-sa/4.0/>

Joadelas, 2008: <https://2008.igem.org/Team:Valencia/Project>

Ktroike, 2016: https://commons.wikimedia.org/wiki/File:Adipocyte_types.jpg

Müller, 2023: https://commons.wikimedia.org/wiki/File:Gerd_M%C3%BCller_7-7-74.png

Vektor, 2021: https://commons.wikimedia.org/wiki/File:Bile_recycling.svg

www.MedicalGraphics.de; (CC BY-ND 4.0 DE)
